

8700044

THER DIVIKIES DEVENTE: STEATHER OF THE STORY

Jacob Hartz Seed Company, Inc.

Willierens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to excude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different by therefrom, to the extent provided by the Plant Variety Protection Act 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'Hartz 7110!

In Destinant Witnercot, I have hereunto set my hand and caused the seal of the Plant Taxisty Protection Office to be affixed at the City of Washington, D. C. this 30th day of June in the year of our Lord one thousand nine hundred and eighty-seven.

Secretary of Agriculture

Start

Connett A Evans

Plant Variety Protection Office Assignment Marketing Common

			APPROVAL EXPIRES 4:30-85			
AGRICULTUR	APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions on reverse)					
(Instru						
JACOB HARTZ SEED COMPANY	, INC.	2 TEMPORARY DESIGNATION H79-21046	3 VARIETY NAME HARTZ 7110			
4. ADDRESS (Street and No. or R.F.D. No., Cr	ty, State, and Zip Code)	5 PHONE (Include area code)	FOR OFFICIAL USE ONLY			
P.O. BOX 946		(501) 673-8565	PVPO NUMBER			
STUTTGART, AR 72160			8700044			
6 GENUS AND SPECIES NAME	7. FAMILY NAP	ME (Botanical)	9 () (1987			
GLYCINE MAX	LEGUMI	NOSEA	1 January 6, 1987 14ME 2:00 DAM DPM			
B. KIND NAME	9.	DATE OF DETERMINATION	AMOUNT FOR FILING			
SOYBEAN		1984	Date January 6, 1987			
of the APPLICANT NAMED IS NOT A "Propertieship, association, etc.)	PERSON," GIVE FORM	OF URGANIZATION (Corporation				
CORPORATION			DATE 2, 1987			
11. IF INCORPORATED, GIVE STATE OF INC	CORPORATION		12. DATE OF INCORPORATION			
a. \(\text{\text{CHECK APPROPRIATE BOX FOR EACH A} \) b. \(\text{\text{Exhibit A. Origin and Breeding Histing Exhibit B. Novelty Statement.} \) c. \(\text{\text{Exhibit B. Novelty Statement.} \) c. \(\text{\text{Exhibit C. Objective Description of d.} \) c. \(\text{\text{Exhibit D. Additional Description of c.} \) c. \(\text{Exhibit E. Statement of the Basis of description of description of the Basis of description of description of the Basis of description of description of description of description of description of description of descriptio	ory of the Variety (Sec Variety (Request form) f Variety,	Section 52 of the Plant Variety Profession Off				
5. DOES THE APPLICANTISI SPECIFY THAT SEED? (Sec Section 83/a) of the Plant Vane	SEED OF THIS VARIA	TY BE SOLD BY VARIETY NAM				
6. DOES THE APPLICANTIS) SPECIFY THAT	THIS VARIETY RE		which classes of Production			
CONTROL AS TO NOMBER OF GENERATE	ONS?	BEYOND BREEDER SE	ED?			
DID THE APPLICANT(S) PREVIOUSLY	FILE FOR PROTECTION	Foundation ON OF THE VARIETY IN THE L	LS.? Certified			
			Yes (If "Yes," give date)			
			X No			
HAS THE VARIETY BEEN RELEASED, O	FFERED FOR SALE,	OR MARKETED IN THE U.S. OF	TOTHER COUNTRIES ? Yes (If "Yes," give name, of countries and dates:			
			No.			
The applicant(s) declare(s) that a viable plenished upon request in accordance w	sample of basic seeds ith such regulations as	of this variety will be furnishe may be applicable.	d with the application and will be re			
The undersigned applicant(s) is (are) the distinct, uniform, and stable as required Variety Protection Act.	owner(s) of this sexu in Section 41; and is	tally reproduced novel plant valentitled to protection under the	riety, and believe(s) that the variety is ne provisions of Section 42 of the Plant			
Applicant(s) is (are) informed that false	representation herein	can jeopardize protection and	result in penalties.			
GNATURE OF APPLICANT			DATE			
autis Williams Dires	etor of Resea	rsh.	December 23, 1986			
GNATURE OF APPLICANT			DATE			

(Edition of 3-84 is obsolete.)

EXHIBIT A

ORIGIN AND BREEDING HISTORY

'HARTZ 7110' was developed from the cross 'BEDFORD' x F1('GOVAN' x 'CENTENNIAL'). The original cross was made at Stuttgart, Arkansas. Seed was advanced through the F3-F5 generations by the modified single seed descent method at Stuttgart and in Belize, C.A. A single F6 plant row was bulked at Stuttgart in 1979. It was yield tested from 1980-1985 in Hartz Seed Company tests and in 1985 in University tests as H79-21046.

HARTZ 7110 was screened for resistance to Heterodera glycine race 3, Meloidogyne incognita, Rotylenchulus reniformis, Xanthomonas phaseoli var. sojensis, Septoria glycines and Phytophthora megasperma var. sojae at Stuttgart. Reaction to Diaporthe phaseolorum var. caulivora was determined at the Texas A & M University Agricultural Research and Extension Center Beaumont, Texas. Reaction to Meliodogyne arenaria, Meliodogyne javanica, and Microsphaera diffusa was determined by the University of Georgia. Seed coats first tested for peroxidase activity after the third seed increase had a mixed reaction.

EVIDENCE OF STABILITY - HARTZ 7110 has bred true for the major morphological characters during three years of seed increase.

KINDS OF VARIANTS - About 0.3 percent of the seed may have a faded grayish black hila. Up to 4 seeds per pound may be present that produce purple flowers and have black or other color hila.

EXHIBIT B

NOVELTY STATEMENT

'HARTZ 7110' is most similar to 'CENTENNIAL', but Hartz 7110 does not have a major gene conferring resistance to phytophthora rot while Centennial has Rps c.

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	TT-100015V 5T015V1T1C1	VARIETY NAME
JACOB HARTZ SEED COMPANY, INC.	TEMPORARY DESIGNATION H79-21046	HARTZ 7110
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod	e)	FOR OFFICIAL USE ONLY
P.O. BOX 946		PVPO NUMBER
STUTTGART, AR 72160		8700044
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described place a zero in the first box w	below. When the number of significant digits hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE: C	2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	py'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 2 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green win 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson')		('Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	
		<u> </u>
FORM LMGS-470-57 (2-82)		Page 1 of 4

<u> </u>	,	
111.	LEAFL	ET SIZE: The first of the first of the control of the first of the f
	2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')
	ا كا ا	3 = Large ('Crawford'; 'Tracy')
12.	LEAF (
	2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton')
X	لـــــا	3 = Dark Green ('Gnome'; 'Tracy')
13.	FLOWE	
		1 = White 2 = Purple 3 = White with purple throat
14.	POD CO	DLOR:
.)		1 = Tan 2 = Brown 3 = Black
	رليسا	
15.	PLANT	PUBESCENCE COLOR:
		1 = Gray 2 = Brown (Tawny)
	2	
16.	PLANT	TYPES:
٠.		1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')
	2	3 = Bushy ('Gnome'; 'Govan')
17.	PLANT	HABIT:
		1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')
		3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
18.	MATUR	RITY GROUP:
Г	0	1 = 000 2 = 00 3 = 0 4 = [5 = II 6 = III 7 = IV 8 = V
Ļ	101	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X
19.	DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)
	BACT	ERIAL DISEASES:
	2	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)
		Bacterial Blight (Pseudomonas glycinea)
	0.	Wildfire (Pseudomonas tabaci)
,	FUNGA	AL DISEASES:
		Brown Spot (Septoria glycines)
	ب	
		Frogeye Leaf Spot (Cercospora sojina)
		Race 1 Race 2 Race 3 Race 4 Race 5 1 Other (Specify)
-	<u> </u>	Target Spot (Corynespora cassiicola)
	. 누=	
		Downy Mildew (Peronospora trifoliorum var. manshurica)
	2	Powdery Mildew (Microsphaera diffusa)
	0	Brown Stem Rot (Cephalosporium gregatum)
1 4		
	1. 1	Stem Canker (Diaporthe phaseolorum var. caulivora)

2	7	\cap	n	1	1

19. DISEAS	E REACTION	: (Enter 0 = Not Tested; 1 = Suscept	tible; 2 = Resistant) (Continued)	
FUNC	GAL DISEASE	S: (Continued)		
	Pod and Sten	Blight (Diaporthe phaseolorum var;	sojae)	
0	Purple Seed S	tain (Cercospora kikuchii)		
0	Rhizoctonia I	Root Rot (Rhizoctonia solani)		
	Phytophthora	Rot (Phytophthora megasperma var.	. sojae)	44 <u>14</u> 44 44 <u>14</u> 44 1 44 4
	Race 1	Race 2 Race 3	Race 4 Race 5	Race 6 Race 7
	Race 8	Race 9 Other (Sp	pecify)	
VIRA	L DISEASES:			
0	Bud Blight (T	obacco Ringspot Virus)		
0	Yellow Mosai	c (Bean Yellow Mosaic Virus)		
0	Cowpea Mosa	ic (Cowpea Chlorotic Virus)		
	Pod Mottle (B	ean Pod Mottle Virus)		
0	Seed Mottle (Soybean Mosaic Virus)		
NEMA	ATODE DISEA	SES:		
	Soybean Cyst	Nematode (Heterodera glycines)		
	Race 1	Race 2 2 Race 3	1 Race 4 Other	(Specify)
0	Lance Nemato	de (Hoplolaimus Colombus)		
2	Southern Roo	t Knot Nematode <i>(Meloidogyne inco</i>	gnita) (1.2 ON SCALE 1-	5)
	Northern Roo	t Knot Nematode (Meloidogyne Hapi	la)	
=	Peanut Root i	Knot Nematode (Meloidogyne arenari	a) (2.8 ON SCALE 1-5)	
	Reniform Nen	natode (Rotylenchulus reniformis)		
1 1	OTHER DISE	ASE NOT ON FORM (Specify):M	<u>leloidogyne javanica (1</u>	.2 ON SCALE 1-5)
	·			
20. PHYSIOL	LOGICAL RES	PONSES: (Enter 0 = Not Tested; 1	= Susceptible; 2 = Resistant)	
Ľ	Iron Chlorosis	on Calcareous Soil		
	Other (Specify)		
21. INSECT I	REACTION:	Enter 0 = Not Tested; 1 = Susceptible	le; 2 = Resistant)	
0	Mexican Bean	Beetle (Epilachna varivestis)		
0	Potato Leaf He	opper (Empoasca fabae)		
) <u> </u>		
22. INDICAT	E WHICH VA	RIETY MOST CLOSELY RESEMBL	ES THAT SUBMITTED.	
CHARA		NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shap	oe .		Seed Coat Luster	
Leaf Shap	e		Seed Size	
Leaf Color	r .		Seed Shape	
Leaf Size			Seedling Pigmentation	
				6

8700044

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS LODGIN	PLANT LODGING	G PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
		SCORE		CM Width	CM Length	% Protein	% QiI	SEEDS	POD
HARTZ 7110 Submitted	10-24	2.3	104	-	=	41.3	21.0	11.8	3-2
BRAXTON Name of Similar Variety	10-26	2.1	107		<u>-</u>	41.9	20.4	14.9	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT E

BASIS OF APPLICANTS OWNERSHIP

Jacob Hartz Seed Company, Incorporated, Stuttgart, Arkansas established a Plant Breeding Program in 1972 for the purpose of developing, releasing, and maintaining stocks of soybean varieties developed by its Plant Breeding Program.

Dr. Curtis Williams, Plant Breeder, was licensed to breed soybeans by the Arkansas State Plant Board, December 9, 1977. Dr. Williams and coworkers developed and tested this variety in trials at Stuttgart, Arkansas, and outlying locations.

On April 23, 1983, Jacob Hartz Seed Company, Inc., was purchased by HybriTech Seed International, Inc., a wholly owned subsidiary of Monsanto, St. Louis, Missouri. Jacob Hartz Seed Company, Inc., was originally incorporated in 1948 in the State of Arkansas. In 1984 Jacob Hartz Seed Company, Inc. merged with the Monsanto-West Africa, Inc., a Delaware Corporation. Jacob Hartz Seed Company, Inc., is the present name of the merged corporation which is a Delaware corporation.